Recombinant Mouse TGFBR2 (C-6His)

货号: RB91EPT293

gui_ge

50ug

biao_da_su_zhu

Human Cells

biao_qian

C-6His

fen_zi_liang

16.2 KDa

biao_guan_fen_zi_liang

25-38 KDa, reducing conditions

xing_tai

Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.

chun_du

Greater than 95% as determined by reducing SDS-PAGE.

nei_du_su_shui_ping

Less than 0.1 ng/μg (1 EU/μg) as determined by LAL test.

huo_xing

Measured by its ability to inhibit TGF-beta 1 activity on TF-1 human erythroleukemic cells. The ED50 for this effect is 1680.39ng/ml in the presence of 1ng/ml of recombinant human TGF-beta 1.

rong_jie_fang_fa

Always centrifuge tubes before opening. Do not mix by vortex or pipetting.
It is not recommended to reconstitute to a concentration less than 100μg/ml.
Dissolve the lyophilized protein in distilled water.
Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

chu_cun_fang_fa

Lyophilized protein should be stored at < -20° C, though stable at room temperature for 3 weeks.
Reconstituted protein solution can be stored at 4-7° C for 2-7 days.
Aliquots of reconstituted samples are stable at < -20° C for 3 months.

yun_shu_tiao_jian

The product is shipped at ambient temperature.
Upon receipt, store it immediately at the temperature listed below.

bei_jing_shuo_ming

Transforming growth factor-β (TGF-β) is an essential regulator in the processes of development, cell proliferation, and extracellular matrix deposition. TGF-β regulates cellular processes by binding to three high-affinity cell surface receptors: TGF-β receptor type I (TGF-β-RI), TGF-β receptor type II (TGF-β-RII), and TGF-β β receptor type III (TGF-β-RIII). TGF-β RII is consists of a C-terminal protein kinase domain and an N-terminal ectodomain and belongs to transforming growth factor-beta (TGF-β) receptor subfamily. TGF-β RII has a protein kinase domain which can form a heterodimeric complex with another receptor protein and bind TGF-beta. This receptor/ligand complex phosphorylates protein will enter the nucleus and regulate the transcription of a subset of genes related to cell proliferation.

本产品仅供科研使用，不用于临床诊断。