抗WTAP抗体

Anti-WTAP antibody [Rabbit]

货号：RB9A37012051

产品描述

中文名称
重组Anti-WTAP抗体

英文名称
Anti-WTAP antibody [Rabbit]

别名
KIAA0105 WTAP Pre-mRNA-splicing regulator WTAP Female-lethal(2)D homolog WT1-associated protein Wilms tumor 1-associating protein hFL(2)D

靶点符号
WTAP

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Human

应用
IP ICC/IF Flow Cyt (Intra) IHC-P WB

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	1/600	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/500	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	已验证	1/40	-
Western blot	WB	Human	已验证	1/1000	Milk recommended as blocking agent.
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	不推荐	1/600	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	不推荐	1/500	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	不推荐	1/100	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	不推荐	1/40	-
Western blot	WB	Mouse	不推荐	1/1000	Milk recommended as blocking agent.
Flow Cytometry (Intracellular)	FlowCytIntra	Primates	不推荐	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Primates	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Primates	不推荐	-	-
Immunoprecipitation	IP	Primates	不推荐	-	-
Western blot	WB	Primates	不推荐	-	-

储存与纯化

形式

Liquid

纯化工艺

Affinity purification Protein A

存储溶液

pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间

1-2 weeks

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。