抗Ki67抗体

Anti-Ki67 antibody - BSA and Azide free (RB9A37012483

货号：RB9A37012483

产品描述

中文名称

重组Anti-Ki67抗体 - BSA and Azide free(RB9A37012483)

英文名称

Anti-Ki67 antibody - BSA and Azide free (RB9A37012483)

别名

Proliferation marker protein Ki-67 Antigen identified by monoclonal antibody Ki-67 Antigen KI-67 Antigen Ki67 MKI67

靶点符号

MKI67

产品类型

一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
Yes

反应种属
Mouse Rat Human

应用
ICC/IF IHC-P Flow Cyt (Intra) mIHC WB

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
Ki67 is mainly expressed in proliferating cells. For normal tissue samples (e.g., liver, kidney), no staining may be typically observed due to low level of proliferation and little expression of Ki67. For malignant tissue samples (e.g., colon carcinoma, breast carcinoma), it is more easily to find Ki67 in the proliferating cells of these tissues (PMID: 6206131, 10653597, 34183782).FURTHER INFORMATION ON SPECIFICITY (Chinese Version)

表位
C-terminus

反应性数据

应用	应用代码	物种	验证状态	备注	推荐稀释
Flow Cytometry (Intracellular)	FlowCytIntra	Common marmoset	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunocytochemistry/ Immunofluorescence	ICCIF	Common marmoset	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Common marmoset	预测反应	-	-
Western blot	WB	Common marmoset	预测反应	-	-
Multiplex immunohistochemistry	mIHC	Common marmoset	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	If fixing cells in 4% PFA (10 min, room temp), it is recommended to permeabilized cells with 0.1% Triton-X for 5 min.	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	Antigen retrieval: heat mediated antigen retrieval with sodium citrate buffer (pH 6.0) Primary antibody condition: primary antibody incubation overnight at +4° C is recommended.	1/100
Western blot	WB	Human	已验证	-	-
Multiplex immunohistochemistry	mIHC	Human	已验证	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	Antigen retrieval: heat mediated antigen retrieval with sodium citrate buffer (pH 6.0) Primary antibody condition: primary antibody incubation overnight at +4° C is recommended.	1/100
Western blot	WB	Mouse	保证反应	-	-
Multiplex immunohistochemistry	mIHC	Mouse	保证反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	Antigen retrieval: heat mediated antigen retrieval with sodium citrate buffer (pH 6.0) Primary antibody condition: primary antibody incubation overnight at +4° C is recommended.	1/100
Western blot	WB	Rat	保证反应	-	-
Multiplex immunohistochemistry	mIHC	Rat	保证反应	-	-

储存与纯化

形式
Liquid

存储溶液
pH: 7.2 - 7.4 Constituents: PBS

储存信息
Do Not Freeze

纯度
Tissue culture supernatant

本产品仅供科研使用，不用于临床诊断。