抗ADAM10抗体

Anti-ADAM10 antibody [Rabbit]

货号：RB9A37013050

产品描述

中文名称
Anti-ADAM10 抗体

英文名称
Anti-ADAM10 antibody [Rabbit]

别名
CD156c KUZ MADM ADAM10 Disintegrin and metalloproteinase domain-containing protein 10 ADAM 10 CDw156 Kuzbanian protein homolog Mammalian disintegrin-metalloprotease

靶点符号
ADAM10

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
ICC ICC/IF WB IHC-P

免疫原
Synthetic Peptide within Human ADAM10 aa 700 to C-terminus. The exact immunogen used to generate this antibody is proprietary information.; 014672

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry	ICC	Cow	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Immunocytochemistry	ICC	Human	已验证	2 µg/mL	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	10-20 µg/mL	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1-2 µg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	1-2 µg/mL	-
Immunocytochemistry	ICC	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	1-2 µg/mL	-
Immunocytochemistry	ICC	Pig	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-
Western blot	WB	Pig	预测反应	-	-
Immunocytochemistry	ICC	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	1-2 μg/mL	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 Preservative: 0.02% Sodium azide Constituents: PBS

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。