抗水通道蛋白2抗体

Anti-Aquaporin 2 antibody (RB9A37013100

货号：RB9A37013100

产品描述

中文名称
重组Anti-Aquaporin 2抗体

英文名称
Anti-Aquaporin 2 antibody (RB9A37013100)

别名
Aquaporin-2 AQP-2 ADH water channel Aquaporin-CD Collecting duct water channel protein WCH-CD Water channel protein for renal collecting duct AQP-CD AQP2

靶点符号
AQP2

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
IHC-P IHC-Fr WB mIHC IP

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Frozen sections)	IHCFr	Human	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/4000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	保证反应	-	-
Western blot	WB	Human	已验证	1/500	-
Multiplex immunohistochemistry	mIHC	Human	已验证	1/100 - 1/4000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Frozen sections)	IHCFr	Mouse	已验证	1/3000	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/4000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	已验证	1/30	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Mouse	已验证	1/500	-
Multiplex immunohistochemistry	mIHC	Mouse	已验证	1/2000 - 1/4000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Frozen sections)	IHCFr	Rat	已验证	1/3000	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/4000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Rat	保证反应	-	-
Western blot	WB	Rat	保证反应	-	-
Multiplex immunohistochemistry	mIHC	Rat	已验证	1/2000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

储存与纯化

形式

Liquid

纯化工艺

Affinity purification Protein A

存储溶液

pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间

1-2 weeks

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。