纽蛋白抗体

Anti-Vinculin (phospho Y822

货号：RB9A37013297

产品描述

中文名称
Anti-Vinculin (phospho Y822)抗体

英文名称
Anti-Vinculin (phospho Y822) antibody

别名
Vinculin Metavinculin MV VCL

靶点符号
VCL

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat

应用
IHC-P WB

免疫原
Synthetic Peptide within Human VCL pY822. The exact immunogen used to generate this antibody is proprietary information.; P18206

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	预测反应	-	-
Western blot	WB	Human	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/10 - 1/100	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/10 - 1/100	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Transfected cell lysate - Chicken	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Transfected cell lysate - Chicken	已验证	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
RB9A37013297 has been negatively preadsorbed using a non-phosphopeptide corresponding to the site of phosphorylation to remove antibody that is reactive with non-phosphorylated vinculin. The final product is generated by affinity chromatography using a vinculin-derived peptide that is phosphorylated at tyrosine 822.

存储溶液
pH: 7.3 Preservative: 0.05% Sodium azide Constituents: PBS, 50% Glycerol (glycerin, glycerine), 0.1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。