HRP 抗AMPKα1和AMPKα2抗体

HRP Anti-AMPK alpha 1 + AMPK alpha 2 antibody

货号：RB9A37013686

产品描述

中文名称
HRP Anti-AMPK alpha 1 + AMPK alpha 2抗体

英文名称
HRP Anti-AMPK alpha 1 + AMPK alpha 2 antibody

别名
AMPK1 PRKAA1 5'-AMP-activated protein kinase catalytic subunit alpha-1 AMPK subunit alpha-1 Acetyl-CoA carboxylase kinase Hydroxymethylglutaryl-CoA reductase kinase Tau-protein kinase PRKAA1 ACACA kinase HMGCR kinase AMPK AMPK2 PRKAA2 5'-AMP-activated protein kinase catalytic subunit alpha-2 AMPK subunit alpha-2 Acetyl-CoA carboxylase kinase Hydroxymethylglutaryl-CoA reductase kinase ACACA kinase HMGCR kinase

靶点符号
PRKAA1

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG2a

偶联物
HRP

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
WB IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

浓度
0.5 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Drosophila melanogaster	预测反应	-	-
Western blot	WB	Drosophila melanogaster	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100	-
Western blot	WB	Human	已验证	1/5000	Abcam recommends using 3% milk as the blocking agent.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	1/5000	Abcam recommends using 3% milk as the blocking agent.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Rat	已验证	1/5000	Abcam recommends using 3% milk as the blocking agent.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification

存储溶液
pH: 7.4 Preservative: 0.1% Proclin 300 Solution Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle|Store in the dark

本产品仅供科研使用，不用于临床诊断。