HRP β肌动蛋白抗体

HRP Anti-beta Actin antibody - Loading Control (RB9A37013695

货号：RB9A37013695

产品描述

中文名称
HRP Anti-beta Actin抗体 - Loading Control(RB9A37013695)

英文名称
HRP Anti-beta Actin antibody - Loading Control (RB9A37013695)

别名
Beta-actin ACTB

靶点符号
ACTB

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
kappa

偶联物
HRP

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
WB

免疫原
The exact immunogen used to generate this antibody is proprietary information.

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	African green monkey	预测反应	-	-
Western blot	WB	Chicken	预测反应	-	-
Western blot	WB	Chinese hamster	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Western blot	WB	Drosophila melanogaster	预测反应	-	-
Western blot	WB	Guinea pig	预测反应	-	-
Western blot	WB	Horse	预测反应	-	-
Western blot	WB	Human	已验证	1/5000	Abcam strongly recommends blocking and incubation using 5% BSA as we have found that use of 5% milk seems to drastically reduce the intensity of the signal obtained. Please refer to WB image for further details.
Western blot	WB	Monkey	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Mouse	已验证	1/5000	Abcam strongly recommends blocking and incubation using 5% BSA as we have found that use of 5% milk seems to drastically reduce the intensity of the signal obtained. Please refer to WB image for further details.
Western blot	WB	Pig	预测反应	-	-
Western blot	WB	Rabbit	预测反应	-	-
Western blot	WB	Rat	已验证	1/5000	Abcam strongly recommends blocking and incubation using 5% BSA as we have found that use of 5% milk seems to drastically reduce the intensity of the signal obtained. Please refer to WB image for further details.
Western blot	WB	Sheep	预测反应	-	-

储存与纯化

形式
Liquid

存储溶液
pH: 7.4 Preservative: 0.1% Proclin 300 Solution Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle|Store in the dark

纯度

IgG fraction

本产品仅供科研使用，不用于临床诊断。