抗BAMBI抗体

Anti-BAMBI/NMA antibody [Rabbit]

货号：RB9A37013786

产品描述

中文名称
Anti-BAMBI/NMA抗体（RB9A37013786）

英文名称
Anti-BAMBI/NMA antibody [Rabbit]

别名
NMA BAMBI BMP and activin membrane-bound inhibitor homolog Non-metastatic gene A protein Putative transmembrane protein NMA

靶点符号
BAMBI

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Pig Human

应用
IHC-P Flow Cyt WB

免疫原
Synthetic Peptide within Human BAMBI conjugated to Keyhole Limpet Haemocyanin. The exact immunogen used to generate this antibody is proprietary information.; Q13145

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	备注	推荐稀释

应用	应用代码	物种	验证状态	备注	推荐稀释
Flow Cytometry	FlowCyt	Human	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	保证反应	When using a fluorescent probe the recommended dilution is 1/50 - 1/200.	-
Western blot	WB	Human	预测反应	-	-
Flow Cytometry	FlowCyt	Mouse	已验证	RB9A37007601 - Rabbit polyclonal IgG, is suitable for use as an isotype control with this antibody.	1/20 - 1/100
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	When using a fluorescent probe the recommended dilution is 1/50 - 1/200.	-
Western blot	WB	Mouse	保证反应	-	-
Flow Cytometry	FlowCyt	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	保证反应	When using a fluorescent probe the recommended dilution is 1/50 - 1/200.	-
Western blot	WB	Pig	预测反应	-	-
Flow Cytometry	FlowCyt	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	When using a fluorescent probe the recommended dilution is 1/50 - 1/200.	-
Western blot	WB	Rat	已验证	-	1/100 - 1/1000

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.4 Preservative: 0.02% Proclin 300 Constituents: 50% Glycerol (glycerin, glycerine), 48.98% TBS, 1X, 1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。