波形蛋白抗体

Anti-Vimentin antibody [Mouse]

货号：RB9A37013953

产品描述

中文名称
Anti-Vimentin 抗体（RB9A37013953）

英文名称
Anti-Vimentin antibody [Mouse]

别名
Vimentin VIM

靶点符号
VIM

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgM

轻链类型
unknown

不含载体蛋白
No

反应种属
Mouse Rat Human Chicken

应用
WB Flow Cyt ICC/IF IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
The antibody reacts with vimentin, a 57 kDa intermediate filament expressed in variety of mesenchymal and mesodermal cell types.

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Chicken	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Chicken	已验证	1 µg/mL	Staining technique: (a) fix cells for 10 min in methanol at -20° C and for 6 min in acetone at -20° C; (b) fix cells directly in methanol for 10 min at -20° C or in acetone for 10 min at -20° C.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chicken	保证反应	-	-
Western blot	WB	Chicken	保证反应	-	-
Flow Cytometry	FlowCyt	Human	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1 µg/mL	Staining technique: (a) fix cells for 10 min in methanol at -20° C and for 6 min in acetone at -20° C; (b) fix cells directly in methanol for 10 min at -20° C or in acetone for 10 min at -20° C.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1-5 µg/mL	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Human	已验证	-	-
Flow Cytometry	FlowCyt	Mouse	已验证	1 µg for 10^6 Cells	- Mouse monoclonal IgM, is suitable for use as an isotype control with this antibody.
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	保证反应	-	-
Flow Cytometry	FlowCyt	Pig	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-
Western blot	WB	Pig	预测反应	-	-
Flow Cytometry	FlowCyt	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	已验证	1 µg/mL	Staining technique: (a) fix cells for 10 min in methanol at -20° C and for 6 min in acetone at -20° C; (b) fix cells directly in methanol for 10 min at -20° C or in acetone for 10 min at -20° C.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Western blot	WB	Rat	保证反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Proprietary technique

纯化说明
Purified by precipitation and chromatography.

存储溶液
pH: 8 Preservative: 0.097% Sodium azide Constituents: PBS

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。