抗CD3 ε 抗体

Anti-CD3 epsilon antibody - BSA and Azide free (RB9A37014353

货号: RB9A37014353

产品描述

中文名称
Anti-CD3 epsilon 抗体 - BSA and Azide free

英文名称
Anti-CD3 epsilon antibody - BSA and Azide free (RB9A37014353)

别名
CD3e T3E CD3E T-cell surface glycoprotein CD3 epsilon chain T-cell surface antigen T3/Leu-4 epsilon chain

靶点符号
CD3E

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
Yes

反应种属
Rat Human Mouse

应用
Flow Cyt (Intra) mIHC IHC-P WB

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Baboon	预测反应	-

应用	应用代码	物种	验证状态	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Baboon	预测反应	-
Western blot	WB	Baboon	预测反应	-
Multiplex immunohistochemistry	mIHC	Baboon	预测反应	-
Flow Cytometry (Intracellular)	FlowCytIntra	Cat	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cat	预测反应	-
Western blot	WB	Cat	预测反应	-
Multiplex immunohistochemistry	mIHC	Cat	预测反应	-
Flow Cytometry (Intracellular)	FlowCytIntra	Chicken	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chicken	预测反应	-
Western blot	WB	Chicken	预测反应	-
Multiplex immunohistochemistry	mIHC	Chicken	预测反应	-
Flow Cytometry (Intracellular)	FlowCytIntra	Cow	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-

应用	应用代码	物种	验证状态	备注
Western blot	WB	Cow	预测反应	-
Multiplex immunohistochemistry	mIHC	Cow	预测反应	-
Flow Cytometry (Intracellular)	FlowCytIntra	Dog	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-
Western blot	WB	Dog	预测反应	-
Multiplex immunohistochemistry	mIHC	Dog	预测反应	-
Flow Cytometry (Intracellular)	FlowCytIntra	Horse	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Horse	预测反应	-
Western blot	WB	Horse	预测反应	-
Multiplex immunohistochemistry	mIHC	Horse	预测反应	-

应用	应用代码	物种	验证状态	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody. We recommend using Goat Anti-Rabbit IgG H&L (Alexa Fluor ® 488) (RB9A37060827) secondary antibody.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	Boil tissue section in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at room temperature for 20 min. Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	-
Multiplex immunohistochemistry	mIHC	Human	已验证	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-

应用	应用代码	物种	验证状态	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	Boil tissue section in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at room temperature for 20 min.
Western blot	WB	Mouse	已验证	-
Multiplex immunohistochemistry	mIHC	Mouse	已验证	-
Flow Cytometry (Intracellular)	FlowCytIntra	Pig	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-
Western blot	WB	Pig	预测反应	-
Multiplex immunohistochemistry	mIHC	Pig	预测反应	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rabbit	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	预测反应	-
Western blot	WB	Rabbit	预测反应	-
Multiplex immunohistochemistry	mIHC	Rabbit	预测反应	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-

应用	应用代码	物种	验证状态	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	Boil tissue section in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at room temperature for 20 min.
Western blot	WB	Rat	已验证	-
Multiplex immunohistochemistry	mIHC	Rat	已验证	-
Flow Cytometry (Intracellular)	FlowCytIntra	Woodchuck	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Woodchuck	预测反应	-
Western blot	WB	Woodchuck	预测反应	-
Multiplex immunohistochemistry	mIHC	Woodchuck	预测反应	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
Constituents: PBS

推荐的短期储存时间
1-2 weeks

储存信息
Do Not Freeze

本产品仅供科研使用，不用于临床诊断。