抗程序性死亡配体1抗体

Anti-PD-L1/CD274 antibody (RB9A37014488

货号：RB9A37014488

产品描述

中文名称

Anti-PD-L1/CD274 抗体（RB9A37014488）

英文名称

Anti-PD-L1/CD274 antibody (RB9A37014488)

别名

CD274 B7H1 PDCD1L1 PDCD1LG1 PDL1 Programmed cell death 1 ligand 1 PD-L1 PDCD1 ligand 1 Programmed death ligand 1 hPD-L1 B7 homolog 1 B7-H1

靶点符号

PD-L1

产品类型

一抗

关键信息

宿主种属

Rabbit

克隆

Monoclonal

亚型

IgG

不含载体蛋白

No

反应种属

Human

应用

WB Flow Cyt mIHC IHC-P IHC-Fr ICC/IF

免疫原

The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	备注	推荐稀释
Flow Cytometry	FlowCyt	Human	已验证	Please refer to protocol in Support&downloads section RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	-	2 µg/mL
Immunohistochemistry (Frozen sections)	IHCFr	Human	已验证	-	2 µg/mL
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	Please refer to protocol booklet. For antigen buffer for FFPE tissue, it is recommended to use Universal HIER antigen retrieval reagent . Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.	2 µg/mL
Western blot	WB	Human	已验证	Please refer to protocol in Support&downloads section RB9A37019894 works better than RB9A37014488 in western blot testing.	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Multiplex immunohistochemistry	mIHC	Human	已验证	-	-
Flow Cytometry	FlowCyt	Mouse	不推荐	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	不推荐	-	-
Immunohistochemistry (Frozen sections)	IHCFr	Mouse	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	不推荐	Please refer to protocol booklet. For antigen buffer for FFPE tissue, it is recommended to use Universal HIER antigen retrieval reagent . Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.	2 μg/mL
Western blot	WB	Mouse	不推荐	-	-
Multiplex immunohistochemistry	mIHC	Mouse	不推荐	-	-
Flow Cytometry	FlowCyt	Transfected cell line	不推荐	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunocytochemistry/ Immunofluorescence	ICCIF	Transfected cell line	已验证	-	2 µg/mL
Immunohistochemistry (Frozen sections)	IHCFr	Transfected cell line	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Transfected cell line	已验证	Please refer to protocol booklet. For antigen buffer for FFPE tissue, it is recommended to use Universal HIER antigen retrieval reagent . Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.	2 µg/mL
Western blot	WB	Transfected cell line	不推荐	-	-
Multiplex immunohistochemistry	mIHC	Transfected cell line	不推荐	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。