# 抗癌胚抗原相关细胞黏附分子5+CD66b+CEACAM1+CEACAM6抗体

Anti-CEACAM5 + CD66b + CEACAM1 + CEACAM6 antibody

货号：RB9A37014847

## 产品描述

中文名称

重组Anti-CEACAM5 + CD66b + CEACAM1 + CEACAM6抗体

英文名称

Anti-CEACAM5 + CD66b + CEACAM1 + CEACAM6 antibody

别名

CD66e CEA CEACAM5 Cell adhesion molecule CEACAM5 Carcinoembryonic antigen Carcinoembryonic antigen-related cell adhesion molecule 5 Meconium antigen 100 CEA cell adhesion molecule 5 CD66c NCA CEACAM6 Cell adhesion molecule CEACAM6 Carcinoembryonic antigen-related cell adhesion molecule 6 Non-specific crossreacting antigen Normal cross-reacting antigen CEA cell adhesion molecule 6 CD66a BGP BGP1 CEACAM1

靶点符号

CEACAM5

产品类型

一抗

## 关键信息

宿主种属

Rabbit

克隆

Monoclonal

亚型

IgG

不含载体蛋白

No

反应种属

Human

应用

ICC/IF IHC-P WB Flow Cyt

免疫原

The exact immunogen used to generate this antibody is proprietary information.

特异性

RB9A37014847 cross-reacts with CEACAM 1, 6 and 8. There are other CEACAM family members but we only examined cross-reactivity with those having >55% homology with CEACAM5 following a BLAST search with the immunogen.

## 反应性数据

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 | 备注 |
|---|---|---|---|---|---|
| Flow Cytometry | FlowCyt | Human | 已验证 | 1/500 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Human | 已验证 | 1/500 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Human | 已验证 | 1/5000 - 1/40000 | Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol. |
| Western blot | WB | Human | 已验证 | 1/1000 | - |
| Flow Cytometry | FlowCyt | Transfected cell line - Human | 不推荐 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Transfected cell line - Human | 不推荐 | - | - |

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 | 备注 |
| --- | --- | --- | --- | --- | --- |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Transfected cell line - Human | 已验证 | 1/5000 - 1/40000 | Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol. |
| Western blot | WB | Transfected cell line - Human | 不推荐 | - | - |

## 储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。