抗p53R2和RRM2抗体

Anti-p53R2 + RRM2 antibody

货号：RB9A37015232

产品描述

中文名称
重组Anti-p53R2 + RRM2抗体

英文名称
Anti-p53R2 + RRM2 antibody

别名
RR2 RRM2 Ribonucleoside-diphosphate reductase subunit M2 Ribonucleotide reductase small chain Ribonucleotide reductase small subunit P53R2 RRM2B Ribonucleoside-diphosphate reductase subunit M2 B TP53-inducible ribonucleotide reductase M2 B p53-inducible ribonucleotide reductase small subunit 2-like protein p53R2

靶点符号
RRM2

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
WB Flow Cyt (Intra) IHC-P ICC/IF

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	1/500	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/100	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/2000	IHC not recommended for rat due to non-specific staining in rat samples. Recommend 1:1000 dilution for mouse tissues.
Western blot	WB	Human	已验证	1/1000	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	已验证	1/100	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/2000	IHC not recommended for rat due to non-specific staining in rat samples. Recommend 1:1000 dilution for mouse tissues.

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Mouse	已验证	1/1000	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	1/1000	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。