抗MEF2C抗体

Anti-MEF2C antibody - ChIP Grade

货号：RB9A37015560

产品描述

中文名称
重组Anti-MEF2C抗体 - ChIP Grade

英文名称
Anti-MEF2C antibody - ChIP Grade

别名
Myocyte-specific enhancer factor 2C Myocyte enhancer factor 2C MEF2C

靶点符号
MEF2C

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
ChIP IHC-P Flow Cyt (Intra) WB ICC/IF

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
ChIP	ChIP	Common marmoset	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Common marmoset	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Common marmoset	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Common marmoset	预测反应	-	-
Western blot	WB	Common marmoset	预测反应	-	-
ChIP	ChIP	Human	已验证	5 µg for 25 µg chromatin	-
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	1/500	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/500	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	-	Use at 1:500 (human), 1:1000 (mouse, rat) dilution. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	1/1000	-
ChIP	ChIP	Mouse	保证反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	-	Use at 1:500 (human), 1:1000 (mouse, rat) dilution. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Western blot	WB	Mouse	已验证	1/1000	-
ChIP	ChIP	Rat	保证反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	-	Use at 1:500 (human), 1:1000 (mouse, rat) dilution. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Western blot	WB	Rat	已验证	1/1000	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。