抗UBE2I抗体

Anti-UBE2I / UBC9 antibody [Goat]

货号：RB9A37015646

产品描述

中文名称
Anti-UBE2I / UBC9 抗体（RB9A37015646）

英文名称
Anti-UBE2I / UBC9 antibody [Goat]

别名
UBC9 UBCE9 UBE2I SUMO-conjugating enzyme UBC9 RING-type E3 SUMO transferase UBC9 SUMO-protein ligase Ubiquitin carrier protein 9 Ubiquitin carrier protein I Ubiquitin-conjugating enzyme E2 I Ubiquitin-protein ligase I p18

靶点符号
UBE2I

产品类型
一抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Rat Human

应用
IHC-P WB

免疫原
Synthetic Peptide within Human UBE2I aa 1-50. The exact immunogen used to generate this antibody is proprietary information.; P63279

浓度
0.5 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chicken	预测反应	-	-
Western blot	WB	Chicken	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Hamster	预测反应	-	-
Western blot	WB	Hamster	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Human	已验证	0.1-0.3 μg/mL	A 1 hour primary incubation is recommended for this product. Transfer onto PVDF membrane and block in 3 % milk. Incubate primary antibody with membrane at room temperature.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	0.1-0.3 μg/mL	A 1 hour primary incubation is recommended for this product. Transfer onto PVDF membrane and block in 3 % milk. Incubate primary antibody with membrane at room temperature.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Xenopus laevis	预测反应	-	-
Western blot	WB	Xenopus laevis	预测反应	-	-

储存与纯化

形式

Liquid

纯化工艺

Affinity purification Immunogen

存储溶液

pH: 7.3 Preservative: 0.02% Sodium azide Constituents: Tris buffered saline, 0.5% BSA

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。