钙网蛋白抗体

Anti-Calreticulin antibody - Low endotoxin, Azide free

货号：RB9A37015649

产品描述

中文名称
重组Anti-Calreticulin抗体 - Low endotoxin, Azide free

英文名称
Anti-Calreticulin antibody - Low endotoxin, Azide free

别名
CRTC CALR Calreticulin CRP55 Calregulin Endoplasmic reticulum resident protein 60 HACBP grp60 ERp60

靶点符号
CALR

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
Yes

反应种属
Mouse Rat Human African green monkey

应用
WB IHC-P Flow Cyt (Intra) ICC/IF

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	备注
Flow Cytometry (Intracellular)	FlowCytIntra	African green monkey	保证反应	-
Immunocytochemistry/ Immunofluorescence	ICCIF	African green monkey	保证反应	-

应用	应用代码	物种	验证状态	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	African green monkey	保证反应	-
Western blot	WB	African green monkey	已验证	-
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	RB9A37012990 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	The use of a HRP/AP polymerized secondary antibody is recommended for enhanced staining. Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	-
Flow Cytometry (Intracellular)	FlowCytIntra	Monkey	预测反应	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Monkey	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Monkey	预测反应	-
Western blot	WB	Monkey	预测反应	-

应用	应用代码	物种	验证状态	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	The use of a HRP/AP polymerized secondary antibody is recommended for enhanced staining. Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Mouse	已验证	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	The use of a HRP/AP polymerized secondary antibody is recommended for enhanced staining. Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Rat	已验证	-

储存与纯化

形式	纯化工艺
Liquid	Affinity purification Protein A
存储溶液	**储存信息**
pH: 7.2 - 7.4 Constituents: PBS	Do Not Freeze

本产品仅供科研使用，不用于临床诊断。