抗嗜铬粒蛋白A抗体

Anti-Chromogranin A antibody - BSA and Azide free (RB9A37015706

货号: RB9A37015706

产品描述

中文名称
Anti-Chromogranin A抗体 - BSA and Azide free(RB9A37015706)

英文名称
Anti-Chromogranin A antibody - BSA and Azide free (RB9A37015706)

别名
Chromogranin-A CgA Pituitary secretory protein I SP-I CHGA

靶点符号
CHGA

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
kappa

不含载体蛋白
Yes

反应种属
Human

应用
IHC-P

免疫原
Tissue preparation containing CHGA protein. The exact immunogen used to generate this antibody is proprietary information.; P10645

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Guinea pig	不推荐	0.25-0.5 µg/mL	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	0.25-0.5 µg/mL	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	不推荐	0.25-0.5 µg/mL	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Sheep	不推荐	0.25-0.5 µg/mL	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A/G

纯化说明
RB9A37015706 was purified from Bioreactor Concentrate by Protein A/G.

存储溶液
pH: 7.2 - 7.4 Constituents: PBS

推荐的短期储存时间	储存信息
1-2 weeks	Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。