雄激素受体抗体

Anti-Androgen Receptor antibody - BSA and Azide free [Mouse]

货号：RB9A37015747

产品描述

中文名称
Anti-Androgen Receptor抗体 - BSA and Azide free

英文名称
Anti-Androgen Receptor antibody - BSA and Azide free [Mouse]

别名
DHTR NR3C4 AR Androgen receptor Dihydrotestosterone receptor Nuclear receptor subfamily 3 group C member 4

靶点符号
AR

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
kappa

不含载体蛋白
Yes

反应种属
Human

应用
IHC-P

免疫原
Recombinant Fragment Protein within Human AR aa 150-350. The exact immunogen used to generate this antibody is proprietary information.; P10275

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chimpanzee	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cynomolgus monkey	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1 μg/mL	Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris buffer with 1mM EDTA, pH 9.0, for 45 min at 95° C followed by cooling at RT for 20 minutes. Incubate with primary antibody for 30 minutes at RT.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	不推荐	-	Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris buffer with 1mM EDTA, pH 9.0, for 45 min at 95° C followed by cooling at RT for 20 minutes. Incubate with primary antibody for 30 minutes at RT.

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rhesus monkey	不推荐	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A/G

纯化说明
RB9A37015747 is purified from Bioreactor Concentrate by Protein A/G.

存储溶液
pH: 7.2 - 7.4 Constituents: PBS

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。