核仁素抗体

Anti-Nucleolin antibody - BSA and Azide free [Mouse]

货号：RB9A37015783

产品描述

中文名称
Anti-Nucleolin抗体 - BSA and Azide free(RB9A37015783)

英文名称
Anti-Nucleolin antibody - BSA and Azide free [Mouse]

别名
Nucleolin　Protein C23　NCL

靶点符号
NCL

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
kappa

不含载体蛋白
Yes

反应种属
Human

应用
IHC-P　ICC

免疫原
Recombinant Full Length Protein corresponding to Human NCL.；P19338

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry	ICC	Cow	不推荐	1-4 µg/mL	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	不推荐	0.5-1 µg/mL	for 30 minutes at room temperature. Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunocytochemistry	ICC	Human	已验证	1-4 µg/mL	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	0.5-1 µg/mL	for 30 minutes at room temperature. Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunocytochemistry	ICC	Mouse	不推荐	0.5-1 µg/mL	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	不推荐	0.5-1 µg/mL	for 30 minutes at room temperature. Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunocytochemistry	ICC	Rat	不推荐	1-4 µg/mL	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	不推荐	0.5-1 µg/mL	for 30 minutes at room temperature. Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein G

纯化说明
Purified from bioreactor concentrate.

存储溶液
pH: 7.2 - 7.4 Constituents: PBS

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。