促肾上腺皮质激素抗体

Anti-ACTH antibody - N-terminal- BSA and Azide free

货号：RB9A37015802

产品描述

中文名称
重组Anti-ACTH抗体 - N-terminal- BSA and Azide free

英文名称
Anti-ACTH antibody - N-terminal- BSA and Azide free

别名
Pro-opiomelanocortin　POMC　Corticotropin-lipotropin

靶点符号
POMC

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
kappa

不含载体蛋白
Yes

反应种属
Mouse　Rat　Human

应用
mIHC　IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

浓度
1.068 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Multiplex immunohistochemistry	mIHC	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/5000 - 1/20000	Recommend 1:5000 for human species and 1:20, 000 for mouse and rat species Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Multiplex immunohistochemistry	mIHC	Human	已验证	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Macaque monkey	预测反应	-	-
Multiplex immunohistochemistry	mIHC	Macaque monkey	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/5000 - 1/20000	Recommend 1:5000 for human species and 1:20, 000 for mouse and rat species Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Multiplex immunohistochemistry	mIHC	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/5000 - 1/20000	Recommend 1:5000 for human species and 1:20, 000 for mouse and rat species Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Multiplex immunohistochemistry	mIHC	Rat	保证反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Constituents: PBS

储存信息
Do Not Freeze|Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。