抗CD34抗体

Anti-CD34 antibody - BSA and Azide free (RB9A37015867

货号：RB9A37015867

产品描述

中文名称
Anti-CD34抗体 - BSA and Azide free(RB9A37015867)

英文名称
Anti-CD34 antibody - BSA and Azide free (RB9A37015867)

别名
CD34 Hematopoietic progenitor cell antigen CD34

靶点符号
CD34

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
kappa

不含载体蛋白
Yes

反应种属
Human

应用
IHC-P

免疫原
Tissue preparation containing CD34 protein. The exact immunogen used to generate this antibody is proprietary information.; P28906

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	不推荐	0.25-0.5 µg/mL	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	不推荐	0.25-0.5 µg/mL	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	0.25-0.5 µg/mL	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	不推荐	0.25-0.5 µg/mL	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Sheep	不推荐	-	(Primary incubation for 30 minutes at RT). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

储存与纯化

形式	纯化工艺
Liquid	Affinity purification Protein G
纯化说明	存储溶液
Purified from bioreactor concentrate.	pH: 7.2 - 7.4 Constituents: PBS
推荐的短期储存时间	储存信息
1-2 weeks	Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。