抗血小板内皮细胞黏附分子1抗体

Anti-PECAM-1/CD31 antibody (RB9A37015898

货号：RB9A37015898

产品描述

中文名称
重组Anti-PECAM-1/CD31抗体（RB9A37015898）

英文名称
Anti-PECAM-1/CD31 antibody (RB9A37015898)

别名
CD31 Pecam Pecam-1 Pecam1 Platelet endothelial cell adhesion molecule PECAM-1

靶点符号
PECAM-1

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat

应用
IHC - Wmt sELISA WB IP

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
Not suitable for FC-Mouse.

反应性数据

应用	应用代码	物种	验证状态	备注	推荐稀释
Flow Cytometry	FlowCyt	Mouse	不推荐	Not suitable for FC-Mouse.	-

应用	应用代码	物种	验证状态	备注	推荐稀释
IHC - Wholemount	IHCWmt	Mouse	已验证	-	-
Immunoprecipitation	IP	Mouse	已验证	-	1/40
Western blot	WB	Mouse	已验证	Treat samples with PNGase F or phosphatase to confirm the specificity of bands if necessary. The observed band size of CD31 may not the same as predicted MWs in WB due to the different forms and modifications of CD31. Ms Isoform 1-4: 69.8-81.3 kDa (predicted) Observed band size is around 130 kDa Positive Control: HUVEC and Jurkat cell lysates ; Human spleen and kidney tissue lysate. Negative Control: NIH/3T3 whole cell lysate .	1/1000
Sandwich ELISA	sELISA	Mouse	已验证	-	-
Flow Cytometry	FlowCyt	Rat	不推荐	-	-
IHC - Wholemount	IHCWmt	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunoprecipitation	IP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	Treat samples with PNGase F or phosphatase to confirm the specificity of bands if necessary. The observed band size of CD31 may not the same as predicted MWs in WB due to the different forms and modifications of CD31. Ms Isoform 1-4: 69.8-81.3 kDa (predicted) Observed band size is around 130 kDa Positive Control: HUVEC and Jurkat cell lysates ; Human spleen and kidney tissue lysate. Negative Control: NIH/3T3 whole cell lysate .	1/1000
Sandwich ELISA	sELISA	Rat	保证反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。