子宫珠蛋白抗体

Anti-Uteroglobin antibody [Rabbit]

货号：RB9A37015907

产品描述

中文名称
Anti-Uteroglobin 抗体（RB9A37015907）

英文名称
Anti-Uteroglobin antibody [Rabbit]

别名
Cc10 Ugb Utg Scgb1a1 Uteroglobin Club cell 17 kDa protein Club cell phospholipid-binding protein Club cells 10 kDa secretory protein PCB-binding protein Secretoglobin family 1A member 1 CCPBP CC10

靶点符号
Scgb1a1

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat

应用
WB IHC-P IP IHC-Fr

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry	ICC	Mouse	不推荐	-	-
Immunohistochemistry (Frozen sections)	IHCFr	Mouse	已验证	1/500	(Use 1/100 for rat tissue). Antigen retrieval: Heated citrate solution (10mM citrate pH 6.0 + 0.05% Tween-20).
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/4000	In IHC, under our experimental conditions, this antibody showed specific staining in bronchial epithelium cells of both rat and mouse; however, there was non-specific staining on the pulmonary alveoli of mouse lung. Our collaborator observed the correct staining on the airway epithelium of mouse lung using immunofluorescence detection method. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	已验证	1/30	We don't recommend this antibody for rat in IP. In our hands rat tissues showed negative staining.
Western blot	WB	Mouse	已验证	1/1000	We don't recommend this antibody for rat in WB. In our hands rat tissues showed negative staining.

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry	ICC	Rat	不推荐	-	-
Immunohistochemistry (Frozen sections)	IHCFr	Rat	已验证	1/500	(Use 1/100 for rat tissue). Antigen retrieval: Heated citrate solution (10mM citrate pH 6.0 + 0.05% Tween-20).
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/4000	In IHC, under our experimental conditions, this antibody showed specific staining in bronchial epithelium cells of both rat and mouse; however, there was non-specific staining on the pulmonary alveoli of mouse lung. Our collaborator observed the correct staining on the airway epithelium of mouse lung using immunofluorescence detection method. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Rat	保证反应	-	-
Western blot	WB	Rat	不推荐	1/1000	We don't recommend this antibody for rat in WB. In our hands rat tissues showed negative staining.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。