抗CD4抗体

Anti-CD4 antibody (RB9A37015910

货号：RB9A37015910

产品描述

中文名称

Anti-CD4 抗体（RB9A37015910）

英文名称

Anti-CD4 antibody (RB9A37015910)

别名

CD4 T-cell surface glycoprotein CD4 T-cell surface antigen T4/Leu-3

靶点符号

CD4

产品类型

一抗

关键信息

宿主种属

Rabbit

克隆

Monoclonal

亚型

IgG

不含载体蛋白

No

反应种属

Human

应用

IHC-P ICC/IF mIHC Flow Cyt

免疫原

The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Chimpanzee	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Chimpanzee	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chimpanzee	预测反应	-	-
Multiplex immunohistochemistry	mIHC	Chimpanzee	预测反应	-	-
Flow Cytometry	FlowCyt	Human	已验证	1/20 - 1/100	Incubate with primary antibody for 30 minutes at 4° C.
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/100	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/50	Deparaffinize slides using xylene or xylene alternative and graded alcohols. Boil tissue section in EDTA buffer for 10 min followed by cooling at room temperature for 20 min. Incubate with primary antibody for 30 minutes at room temperature. Slides must be washed in between steps. Rinse slides with PBS/0.05% Tween.
Multiplex immunohistochemistry	mIHC	Human	已验证	-	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A/G

纯化说明
Purified from TCS by protein A/G.

存储溶液
pH: 7.6 Preservative: 0.1% Sodium azide Constituents: PBS, 1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。