转胶蛋白抗体

Anti-TAGLN/Transgelin antibody [Human]

货号：RB9A37015924

产品描述

中文名称
重组Anti-TAGLN/Transgelin抗体（RB9A37015924）

英文名称
Anti-TAGLN/Transgelin antibody [Human]

别名
SM22 WS3-10 TAGLN Transgelin 22 kDa actin-binding protein Protein WS3-10 Smooth muscle protein 22-alpha SM22-alpha

靶点符号
TAGLN

产品类型
一抗

关键信息

宿主种属
Human

克隆
Monoclonal

亚型
IgG1

不含载体蛋白
No

反应种属
Rat Mouse Human

应用
IHC-P WB

免疫原
The exact immunogen used to generate this antibody is proprietary information.

浓度
0.5 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1-5 μg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	1-2.5 μg/mL	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1-5 μg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Mouse	已验证	1-2.5 μg/mL	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1-5 μg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Rat	已验证	1-2.5 μg/mL	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。