加压素抗体

Anti-Vasopressin antibody (RB9A37015995

货号：RB9A37015995

产品描述

中文名称
重组Anti-Vasopressin抗体

英文名称
Anti-Vasopressin antibody (RB9A37015995)

别名
Vasopressin-neurophysin 2-copeptin AVP-NPII Avp

靶点符号
Vasopressin-neurophysin

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
Flow Cyt (Intra) IP WB IHC-P IHC-Fr

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
In WB, FC and IP we detected Vasopressin only in overexpressing cells. We have not tested human IHC-P as there are no suitable positive human tissues.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Human	保证反应	1/500	-
Immunohistochemistry (Frozen sections)	IHCFr	Human	保证反应	1/500	Perform heat mediated antigen retrieval by using sodium citrate buffer (pH6.0).
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	保证反应	1/2000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	保证反应	1/30	-
Western blot	WB	Human	保证反应	1/1000	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Frozen sections)	IHCFr	Mouse	已验证	1/500	Perform heat mediated antigen retrieval by using sodium citrate buffer (pH6.0). Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/2000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	保证反应	-	-
Western blot	WB	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunohistochemistry (Frozen sections)	IHCFr	Rat	已验证	1/500	Perform heat mediated antigen retrieval by using sodium citrate buffer (pH6.0). Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/2000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Rat	保证反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Transfected cell line - Human	已验证	1/500	-
Immunohistochemistry (Frozen sections)	IHCFr	Transfected cell line - Human	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Transfected cell line - Human	不推荐	-	-
Immunoprecipitation	IP	Transfected cell line - Human	不推荐	-	-
Western blot	WB	Transfected cell line - Human	不推荐	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Transfected cell lysate - Human	不推荐	-	-
Immunohistochemistry (Frozen sections)	IHCFr	Transfected cell lysate - Human	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Transfected cell lysate - Human	不推荐	-	-
Immunoprecipitation	IP	Transfected cell lysate - Human	已验证	1/30	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Transfected cell lysate - Human	已验证	1/1000	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。