抗ERK1抗体

Anti-ERK1 (phospho T202 + Y204

货号：RB9A37016093

产品描述

中文名称
Anti-ERK1 (phospho T202 + Y204) + ERK2 (phospho T185 + Y187)抗体 (RB9A37016093)

英文名称
Anti-ERK1 (phospho T202 + Y204) + ERK2 (phospho T185 + Y187) antibody [Rabbit]

别名
ERK1 PRKM3 MAPK3 Mitogen-activated protein kinase 3 MAP kinase 3 MAPK 3 ERT2 Extracellular signal-regulated kinase 1 Insulin-stimulated MAP2 kinase MAP kinase isoform p44 Microtubule-associated protein 2 kinase p44-ERK1 ERK-1 p44-MAPK ERK2 PRKM1 PRKM2 MAPK1 Mitogen-activated protein kinase 1 MAP kinase 1

靶点符号
MAPK3

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Human

应用
IHC-P WB

免疫原
Synthetic Peptide within Human MAPK3 pY204 + T202 aa 150-250 conjugated to Keyhole Limpet Haemocyanin. The exact immunogen used to generate this antibody is proprietary information.; P27361

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100 - 1/500	When using a fluorescent probe the recommended dilution is 1/50 - 1/200. Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	1/100 - 1/1000	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	预测反应	-	-
Western blot	WB	Mouse	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-	-
Western blot	WB	Rat	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.4 Preservative: 0.02% Proclin 300 Constituents: 50% Glycerol (glycerin, glycerine), 48.98% TBS, 1X, 1% BSA

推荐的短期储存时间
1-2 weeks

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。