核仁素抗体

Anti-Nucleolin antibody - BSA and Azide free (RB9A37016460

货号: RB9A37016460

产品描述

中文名称
Anti-Nucleolin抗体 - BSA and Azide free(RB9A37016460)

英文名称
Anti-Nucleolin antibody - BSA and Azide free (RB9A37016460)

别名
NucleolinProtein C23NCL

靶点符号
NCL

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
kappa

不含载体蛋白
Yes

反应种属
Human

应用
WBIHC-PFlow Cyt

免疫原
Recombinant Full Length Protein corresponding to Human NCL.; P19338

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Cow	不推荐	1-2 µg for 10^6 Cells	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	不推荐	0.5-1 µg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Cow	不推荐	0.5-1 µg/mL	-
Flow Cytometry	FlowCyt	Cynomolgus monkey	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cynomolgus monkey	不推荐	-	-
Western blot	WB	Cynomolgus monkey	不推荐	-	-
Flow Cytometry	FlowCyt	Human	已验证	1-2 µg for 10^6 Cells	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	0.5-1 µg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	0.5-1 µg/mL	-
Flow Cytometry	FlowCyt	Mouse	不推荐	1-2 µg for 10^6 Cells	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	不推荐	0.5-1 µg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Mouse	不推荐	0.5-1 µg/mL	-
Flow Cytometry	FlowCyt	Orangutan	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Orangutan	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Orangutan	不推荐	-	-
Flow Cytometry	FlowCyt	Rat	不推荐	1-2 µg for 10^6 Cells	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	不推荐	0.5-1 µg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Rat	不推荐	0.5-1 µg/mL	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein G

存储溶液
pH: 7.2 - 7.4 Constituents: PBS

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。