抗CD63抗体

Anti-CD63 antibody - Late Endosome Marker [Rabbit]

货号: RB9A37016495

产品描述

中文名称
Anti-CD63 抗体 - Late Endosome Marker

英文名称
Anti-CD63 antibody - Late Endosome Marker [Rabbit]

别名
CD63MLA1TSPAN30CD63 antigenGranulophysinLysosomal-associated membrane protein 3Lysosome integral membrane protein 1Melanoma-associated antigen ME491OMA81HOcular melanoma-associated antigenTetraspanin-30LAMP-3Limp1Tspan-30

靶点符号
CD63

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseHuman

应用
IHC-PWB

免疫原
Synthetic Peptide within Human CD63. The exact immunogen used to generate this antibody is proprietary information.; P08962

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/25 - 1/100	-
Western blot	WB	Human	已验证	1/200 - 1/2000	The observed molecular weight of CD63 may vary in the range of 25-65. This is due to a number of post translational modifications, post translation cleavages, relative charges, and other experimental factors, and therefore there really is no consensus molecular weight.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	1/200 - 1/2000	The observed molecular weight of CD63 may vary in the range of 25-65. This is due to a number of post translational modifications, post translation cleavages, relative charges, and other experimental factors, and therefore there really is no consensus molecular weight.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

存储溶液
pH: 7.4 Preservative: 0.05% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine)

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。