抗囊泡谷氨酸转运体2抗体

Anti-VGLUT2 antibody [Rabbit]

货号：RB9A37016565

产品描述

中文名称
Anti-VGLUT2 抗体 (RB9A37016565)

英文名称
Anti-VGLUT2 antibody [Rabbit]

别名
DnpiVglut2Slc17a6Vesicular glutamate transporter 2VGluT2Differentiation-associated BNPIDifferentiation-associated Na(+)-dependent inorganic phosphate cotransporterSolute carrier family 17 member 6

靶点符号
Slc17a6

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRat

应用
WBICC/IFIHC-FrIHC-PIP

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	已验证	1/250	-
Immunohistochemistry (Frozen sections)	IHCFr	Mouse	已验证	1/100 - 1/500	Use at 1/500 dilution for mouse and at 1/100 dilution for rat. The recommended blocking buffer is "10% goat serum in 1× TBS with 0.2% Triton X-100". Internal testing has shown that acidic antigen retrieval may lead to increased non-specific staining. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/500	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	已验证	1/30	-
Western blot	WB	Mouse	已验证	1/1000	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	已验证	1/250	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Frozen sections)	IHCFr	Rat	已验证	1/100 - 1/500	Use at 1/500 dilution for mouse and at 1/100 dilution for rat. The recommended blocking buffer is "10% goat serum in 1× TBS with 0.2% Triton X-100". Internal testing has shown that acidic antigen retrieval may lead to increased non-specific staining. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/500	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	1/1000	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。