抗葡萄糖调节蛋白78抗体

Anti-GRP78 BiP antibody (RB9A37016680

货号：RB9A37016680

产品描述

中文名称
Anti-GRP78 BiP 抗体（RB9A37016680）

英文名称
Anti-GRP78 BiP antibody (RB9A37016680)

别名
GRP78HSPA5Endoplasmic reticulum chaperone BiP78 kDa glucose-regulated proteinBinding-immunoglobulin proteinHeat shock protein 70 family protein 5Heat shock protein family A member 5Immunoglobulin heavy chain-binding proteinGRP-78BiPHSP70 family protein 5

靶点符号
HSPA5

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRatHumanChinese hamster

应用
WBIHC-PICC/IF

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
Replenishment batches of our polyclonal antibody, RB9A37016680 are tested in WB. Previous batches were additionally validated in ICC/IF and IHC-P. These applications are still expected to work and are covered by our Abpromise guarantee. You may also be interested in our alternative recombinant antibody, RB9A37000789.

浓度
0.2 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	African green monkey	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	African green monkey	预测反应	-	-
Western blot	WB	African green monkey	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Chinese hamster	保证反应	1-5 µg/mL	We recommend using Goat Anti-Rabbit IgG H&L (Alexa Fluor ® 488) preadsorbed (RB9A37060831) secondary antibody.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chinese hamster	保证反应	1 µg/mL	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Chinese hamster	已验证	1 µg/mL	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1-5 µg/mL	We recommend using Goat Anti-Rabbit IgG H&L (Alexa Fluor ® 488) preadsorbed (RB9A37060831) secondary antibody.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1 µg/mL	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	1 µg/mL	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	1-5 µg/mL	We recommend using Goat Anti-Rabbit IgG H&L (Alexa Fluor ® 488) preadsorbed (RB9A37060831) secondary antibody.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	1 µg/mL	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Mouse	已验证	1 µg/mL	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-
Western blot	WB	Pig	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	1-5 μg/mL	We recommend using Goat Anti-Rabbit IgG H&L (Alexa Fluor ® 488) preadsorbed (RB9A37060831) secondary antibody.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	1 μg/mL	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Rat	已验证	1 μg/mL	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

存储溶液

pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS, 1% BSA

推荐的短期储存时间

1-2 weeks

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。