Anti-Placental alkaline phosphatase

PLAP

货号：RB9A37017138

产品描述

中文名称
重组Anti-Placental alkaline phosphatase (PLAP)抗体 - BSA and Azide free

英文名称
Anti-Placental alkaline phosphatase (PLAP) antibody - BSA and Azide free [Rabbit]

别名
PLAPALPPAlkaline phosphatase Regan isozymePlacental alkaline phosphatase 1PLAP-1

靶点符号
ALPP

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
Yes

反应种属
Human

应用
Flow Cyt (Intra)IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
This antibody reacts with a membrane-bound isoenzyme of placental alkaline phosphatase (PLAP) occurring in the placenta during the 3rd trimester of gestation. It is useful in the identification of testicular germ cell tumors. Unlike germ cell tumors, PLAP-positive somatic cell tumors uniformly express epithelial membrane antigen (EMA).

表位
Not determined

反应性数据

应用	应用代码	物种	验证状态	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	Boil tissue sections in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at RT for 20 min.
Western blot	WB	Human	不推荐	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	预测反应	-
Western blot	WB	Mouse	不推荐	-

应用	应用代码	物种	验证状态	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-
Western blot	WB	Rat	不推荐	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification

存储溶液
pH: 7.2 - 7.4 Constituents: PBS

储存信息
Do Not Freeze

本产品仅供科研使用，不用于临床诊断。