抗基质金属蛋白酶13抗体

Anti-MMP13 antibody (RB9A37017296

货号：RB9A37017296

产品描述

中文名称
重组Anti-MMP13抗体（RB9A37017296）

英文名称
Anti-MMP13 antibody (RB9A37017296)

别名
Collagenase 3Matrix metalloproteinase-13MMP-13MMP13

靶点符号
MMP13

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRatHuman

应用
IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
RB9A37017296 showed specific staining in cortical bone, but that no staining was observed in the breast cancer tissue tested.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/2000	For human. Use at 1/500 dilution for mouse and rat. Recommend to incubate the primary antibody at 4C overnight and use the HRP-polymer secondary antibody to detect. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/2000	For human. Use at 1/500 dilution for mouse and rat. Recommend to incubate the primary antibody at 4C overnight and use the HRP-polymer secondary antibody to detect. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/2000	For human. Use at 1/500 dilution for mouse and rat. Recommend to incubate the primary antibody at 4C overnight and use the HRP-polymer secondary antibody to detect. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。