# 神经元特异性烯醇化酶抗体

Anti-ENO1 + ENO2 + ENO3 antibody - BSA and Azide free (RB9A37017430

货号: RB9A37017430

## 产品描述

中文名称
Anti-ENO1 + ENO2 + ENO3 抗体 - BSA and Azide free(RB9A37017430)

英文名称
Anti-ENO1 + ENO2 + ENO3 antibody - BSA and Azide free (RB9A37017430)

别名
Gamma-enolase2-phospho-D-glycerate hydro-lyaseEnolase 2Neural enolaseNeuron-specific enolaseNSEENO2ENO1L1MBPB1MPB1ENO1Alpha-enolase2-phospho-D-glycerate hydro-lyaseC-myc promoter-binding proteinEnolase 1MBP-1MPB-1Non-neural enolasePhosphopyruvate hydratasePlasminogen-binding protein

靶点符号
ENO2

产品类型
一抗

## 关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
Yes

反应种属
MouseRatHuman

应用
IHC-PICC/IFWBFlow Cyt (Intra)

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
The cross-reactivity with ENO2 is weaker than that with ENO1 and ENO3.

## 反应性数据

| 应用 | 应用代码 | 物种 | 验证状态 | 备注 | 推荐稀释 |
| --- | --- | --- | --- | --- | --- |
| Flow Cytometry (Intracellular) | FlowCytIntra | Human | 已验证 | RB9A37012990 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody. | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Human | 已验证 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Human | 已验证 | Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. | - |
| Western blot | WB | Human | 已验证 | - | 1/1000 |
| Flow Cytometry (Intracellular) | FlowCytIntra | Mouse | 保证反应 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Mouse | 保证反应 | - | - |

| 应用 | 应用代码 | 物种 | 验证状态 | 备注 | 推荐稀释 |
| --- | --- | --- | --- | --- | --- |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Mouse | 已验证 | Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. | - |
| Western blot | WB | Mouse | 已验证 | - | - |
| Flow Cytometry (Intracellular) | FlowCytIntra | Rat | 保证反应 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Rat | 保证反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Rat | 已验证 | Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. | - |
| Western blot | WB | Rat | 已验证 | - | - |

| 应用 | 应用代码 | 物种 | 验证状态 | 备注 | 推荐稀释 |
| --- | --- | --- | --- | --- | --- |
| Flow Cytometry (Intracellular) | FlowCytIntra | Recombinant fragment - Human | 不推荐 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Recombinant fragment - Human | 不推荐 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Recombinant fragment - Human | 不推荐 | - | - |
| Western blot | WB | Recombinant fragment - Human | 已验证 | - | - |

## 储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Constituents: PBS

储存信息
Do Not Freeze

本产品仅供科研使用，不用于临床诊断。