FITC 抗CD62L抗体

FITC Anti-CD62L antibody [IgG2b]

货号：RB9A37017812

产品描述

中文名称
FITC荧光Anti-CD62L抗体[FITC.]

英文名称
FITC Anti-CD62L antibody [IgG2b]

别名
CD62LLNHRLYAM1SELLL-selectinCD62 antigen-like family member LLeukocyte adhesion molecule 1Leukocyte surface antigen Leu-8Leukocyte-endothelial cell adhesion molecule 1Lymph node homing receptorTQ1gp90-MELLAM-1LECAM1

靶点符号
SELL

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG2b

轻链类型
unknown

偶联物
FITC

激发波长/发射波长
Ex: 495nm, Em: 519nm

不含载体蛋白
No

反应种属
HumanMonkey

应用
Flow Cyt

免疫原
Cell preparation containing SELL protein. The exact immunogen used to generate this antibody is proprietary information.; P14151

特异性
FITC. recognises the human CD62L cell surface antigen, a 150 kD glycoprotein also known as L-selectin.

浓度
0.1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Human	已验证	10 µL for 10^6 Cells	Use 10 µl to label 10 6 cells or 100 µl whole blood. - Mouse monoclonal , is suitable for use as an isotype control with this antibody.
Flow Cytometry	FlowCyt	Monkey	已验证	10 µL for 10^6 Cells	Use 10 µl to label 10 6 cells or 100 µl whole blood. - Mouse monoclonal , is suitable for use as an isotype control with this antibody.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
Purified IgG prepared by affinity chromotography on protein G from tissue culture supernatant.

存储溶液
pH: 7.2 Preservative: 0.1% Sodium azide Constituents: PBS, 1% BSA

本产品仅供科研使用，不用于临床诊断。