抗GRB2抗体

Anti-GRB2 antibody [Goat]

货号：RB9A37018176

产品描述

中文名称
Anti-GRB2抗体（RB9A37018176）

英文名称
Anti-GRB2 antibody [Goat]

别名
ASHGRB2Growth factor receptor-bound protein 2Adapter protein GRB2Protein AshSH2/SH3 adapter GRB2

靶点符号
GRB2

产品类型
一抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRatHumanPig

应用
WBIHC-P

免疫原
Synthetic Peptide within Human GRB2 aa 200-250. The exact immunogen used to generate this antibody is proprietary information.; P62993

浓度
0.5 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1-2 µg/mL	In paraffin embedded Human Tonsil, stains mantle zone and to a lessser extent germinal centre.
Western blot	WB	Human	已验证	0.05-0.15 µg/mL	A 1 hour primary incubation is recommended for this product.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	0.05-0.15 µg/mL	A 1 hour primary incubation is recommended for this product.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Pig	已验证	0.05-0.15 μg/mL	A 1 hour primary incubation is recommended for this product.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	0.05-0.15 μg/mL	A 1 hour primary incubation is recommended for this product.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

存储溶液
pH: 7.3 Preservative: 0.02% Sodium azide Constituents: 0.5% BSA, 0.05% Tris

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。