抗蛋白酶体26S亚基ATP酶4抗体

Anti-Proteasome 19S S4/PSMC1 antibody [Rabbit]

货号：RB9A37018309

产品描述

中文名称
Anti-Proteasome 19S S4/PSMC1抗体（RB9A37018309）

英文名称
Anti-Proteasome 19S S4/PSMC1 antibody [Rabbit]

别名
26S proteasome regulatory subunit 4P26s426S proteasome AAA-ATPase subunit RPT2Proteasome 26S subunit ATPase 1PSMC1

靶点符号
26S

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRatHuman

应用
WBIHC-PICC/IF

免疫原
Recombinant Fragment Protein within Human 26S proteasome regulatory subunit 4 aa 250 to C-terminus. The exact immunogen used to generate this antibody is proprietary information.; P62191

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/Immunofluorescence	ICCIF	Chicken	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chicken	预测反应	-	-
Western blot	WB	Chicken	预测反应	-	-
Immunocytochemistry/Immunofluorescence	ICCIF	Drosophila melanogaster	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Drosophila melanogaster	预测反应	-	-
Western blot	WB	Drosophila melanogaster	预测反应	-	-
Immunocytochemistry/Immunofluorescence	ICCIF	Human	已验证	0.25-2 μg/mL	Fixation/Permeabilization: PFA/Triton X-100.

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/1000 - 1/2500	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	0.04-0.4 µg/mL	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	0.04-0.4 µg/mL	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	0.04-0.4 µg/mL	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

存储溶液
pH: 7.2 Preservative: 0.02% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine)

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。