抗ELMO1抗体

Anti-ELMO1 antibody [Goat]

货号：RB9A37018349

产品描述

中文名称
Anti-ELMO1抗体

英文名称
Anti-ELMO1 antibody [Goat]

别名
KIAA0281ELMO1Engulfment and cell motility protein 1Protein ced-12 homolog

靶点符号
ELMO1

产品类型
一抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRatHuman

应用
IHC-PWB

免疫原
Synthetic Peptide within Human ELMO1 aa 700-750. The exact immunogen used to generate this antibody is proprietary information.; Q92556

特异性
This antibody is expected to recognise both human isoforms.

浓度
0.5 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	10 µg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	0.1-0.3 µg/mL	A 1 hour primary incubation is recommended for this product. Note the smaller isoform of this protein has a consensus glycosylation site, which may explain the higher than expected band size (50 kDa versus 30 kDa).
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Mouse	已验证	0.1-0.3 μg/mL	A 1 hour primary incubation is recommended for this product. Note the smaller isoform of this protein has a consensus glycosylation site, which may explain the higher than expected band size (50 kDa versus 30 kDa).
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	0.1-0.3 μg/mL	A 1 hour primary incubation is recommended for this product. Note the smaller isoform of this protein has a consensus glycosylation site, which may explain the higher than expected band size (50 kDa versus 30 kDa).

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

存储溶液

pH: 7.3 Preservative: 0.02% Sodium azide Constituents: Tris buffered saline, 0.5% BSA

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。