抗ELMO2抗体

Anti-ELMO2 antibody

货号：RB9A37018377

产品描述

中文名称
Anti-ELMO2抗体

英文名称
Anti-ELMO2 antibody

别名
CED12AKIAA1834ELMO2Engulfment and cell motility protein 2Protein ced-12 homolog AhCed-12A

靶点符号
ELMO2

产品类型
一抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRatHuman

应用
WBIHC-PICC/IFFlow Cyt

免疫原
Synthetic Peptide within Human ELMO2 aa 700 to C-terminus. The exact immunogen used to generate this antibody is proprietary information.; Q96JJ3

浓度
0.5 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Cow	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Flow Cytometry	FlowCyt	Dog	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Flow Cytometry	FlowCyt	Human	已验证	10 µg/mL	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	3-6 µg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Human	已验证	1-3 µg/mL	1 hour primary incubation is recommended for this product.
Flow Cytometry	FlowCyt	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	1-3 µg/mL	-
Flow Cytometry	FlowCyt	Pig	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-
Western blot	WB	Pig	预测反应	-	-
Flow Cytometry	FlowCyt	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Rat	已验证	1-3 μg/mL	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

存储溶液
pH: 7.3 Preservative: 0.02% Sodium azide Constituents: 0.5% BSA, 0.05% Tris

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。