抗PFTK1抗体

Anti-PFTK1 antibody

货号：RB9A37018429

产品描述

中文名称
Anti-PFTK1抗体

英文名称
Anti-PFTK1 antibody

别名
KIAA0834PFTK1CDK14Cyclin-dependent kinase 14Cell division protein kinase 14Serine/threonine-protein kinase PFTAIRE-1hPFTAIRE1

靶点符号
CDK14

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Human

应用
IHC-PICC/IF

免疫原
Recombinant Fragment Protein within Human CDK14 aa 1-200. The exact immunogen used to generate this antibody is proprietary information.; O94921

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/Immunofluorescence	ICCIF	Common marmoset	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Common marmoset	预测反应	-	-
Immunocytochemistry/Immunofluorescence	ICCIF	Dasypus novemcinctus	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dasypus novemcinctus	预测反应	-	-
Immunocytochemistry/Immunofluorescence	ICCIF	Human	已验证	0.25-2 µg/mL	Fixation/Permeabilization: PFA/Triton X-100.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/20 - 1/50	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunocytochemistry/Immunofluorescence	ICCIF	Mouse	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/Immunofluorescence	ICCIF	Rabbit	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	预测反应	-	-
Immunocytochemistry/Immunofluorescence	ICCIF	Titi	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Titi	预测反应	-	-
Immunocytochemistry/Immunofluorescence	ICCIF	Xenopus tropicalis	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Xenopus tropicalis	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

存储溶液

pH: 7.2 Preservative: 0.02% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine).

推荐的短期储存时间

1-2 weeks

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。