FITC 抗CD11c抗体

FITC Anti-CD11c antibody [Mouse]

货号：RB9A37018933

产品描述

中文名称
FITC荧光Anti-CD11c抗体（RB9A37018933）

英文名称
FITC Anti-CD11c antibody [Mouse]

别名
CD11cCD11CITGAXIntegrin alpha-XCD11 antigen-like family member CLeu M5

靶点符号
ITGAX

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

偶联物
FITC

激发波长/发射波长
Ex: 495nm, Em: 519nm

不含载体蛋白
No

反应种属
DogHumanCynomolgus monkey

应用
Flow Cyt

特异性

This antibody recognises the integrin alphax subunit, a 150kD glycoprotein expressed by macrophages, monocytes, granulocytes and NK cells. The antigen is also expressed by hairy cell leukaemia cells. Ligands for CD11c are ICAM 1, iC3b, and fibrinogen. The molecule has a role in mediating adherence of granulocytes and monocytes to endothelium and fibrinogen.

浓度

0.1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Cynomolgus monkey	保证反应	1/1 - 1/10	RB9A37059471 - Mouse monoclonal , is suitable for use as an isotype control with this antibody. Use 10µl of working dilution for 10 6 cells.
Flow Cytometry	FlowCyt	Dog	保证反应	1/1 - 1/10	RB9A37059471 - Mouse monoclonal , is suitable for use as an isotype control with this antibody. Use 10µl of working dilution for 10 6 cells.
Flow Cytometry	FlowCyt	Human	保证反应	1/1 - 1/10	RB9A37059471 - Mouse monoclonal , is suitable for use as an isotype control with this antibody. Use 10µl of working dilution for 10 6 cells.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein G

存储溶液
Preservative: 0.09% Sodium azide
Constituents: 1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。