N-钙黏蛋白抗体

Anti-N-Cadherin/CD325 antibody - C-terminal

货号：RB9A37019044

产品描述

中文名称
重组Anti-N-Cadherin/CD325抗体 - C-terminal

英文名称
Anti-N-Cadherin/CD325 antibody - C-terminal

别名
CD325CDHNNCADCDH2Cadherin-2CDw325Neural cadherinN-cadherin

靶点符号
N-Cadherin

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRatHuman

应用
Flow Cyt (Intra)IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100	Antigen retrieval: Boil tissue section in 1mM EDTA, pH 8.0 for 10 minutes followed by cooling at room temperature for 20 minutes.
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/100	Antigen retrieval: Boil tissue section in 1mM EDTA, pH 8.0 for 10 minutes followed by cooling at room temperature for 20 minutes.

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/100	Antigen retrieval: Boil tissue section in 1mM EDTA, pH 8.0 for 10 minutes followed by cooling at room temperature for 20 minutes.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A/G

纯化说明
Purified from TCS by protein A/G.

存储溶液
pH: 7.6 Preservative: 0.1% Sodium azide Constituents: PBS, 1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。