# 抗GAPDH抗体

Anti-GAPDH antibody - Loading Control (RB9A37019281

货号：RB9A37019281

## 产品描述

中文名称
Anti-GAPDH抗体 - Loading Control

英文名称
Anti-GAPDH antibody - Loading Control (RB9A37019281)

别名
GAPDCDABP00470K/SW-cl.12GAPDHGlyceraldehyde-3-phosphate dehydrogenasePeptidyl-cysteine S-nitrosylase GAPDH

靶点符号
GAPDH

产品类型
一抗

## 关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

不含载体蛋白
No

反应种属
MouseHuman

应用
IHC-PICC/IFWB

免疫原
Synthetic Peptide within Human GAPDH aa 150 to C-terminus. The exact immunogen used to generate this antibody is proprietary information.; P04406

## 反应性数据

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 |
| --- | --- | --- | --- | --- |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Carp | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Carp | 预测反应 | - |
| Western blot | WB | Carp | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Chicken | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Chicken | 预测反应 | - |
| Western blot | WB | Chicken | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Cow | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Cow | 预测反应 | - |
| Western blot | WB | Cow | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Guinea pig | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Guinea pig | 预测反应 | - |
| Western blot | WB | Guinea pig | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Human | 已验证 | 1/100 - 1/500 |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Human | 已验证 | 1/20 - 1/50 |

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 |
| --- | --- | --- | --- | --- |
| Western blot | WB | Human | 已验证 | 1/1000 |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Mouse | 保证反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Mouse | 保证反应 | - |
| Western blot | WB | Mouse | 已验证 | 1/1000 |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Nile tilapia | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Nile tilapia | 预测反应 | - |
| Western blot | WB | Nile tilapia | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Orangutan | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Orangutan | 预测反应 | - |
| Western blot | WB | Orangutan | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Pig | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Pig | 预测反应 | - |
| Western blot | WB | Pig | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Rabbit | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Rabbit | 预测反应 | - |

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 |
| --- | --- | --- | --- | --- |
| Western blot | WB | Rabbit | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Rat | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Rat | 预测反应 | - |
| Western blot | WB | Rat | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Sheep | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Sheep | 预测反应 | - |
| Western blot | WB | Sheep | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Turkey | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Turkey | 预测反应 | - |
| Western blot | WB | Turkey | 预测反应 | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Zebrafish | 预测反应 | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Zebrafish | 预测反应 | - |
| Western blot | WB | Zebrafish | 预测反应 | - |

## 储存与纯化

| | |
|---|---|
| 形式<br>Liquid | 纯化工艺<br>Affinity purification Immunogen |
| 纯化说明<br>RB9A37019281 was affinity purified using an epitope specific to GAPDH immobilized on solid support.Purified from TCS. | 存储溶液<br>pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: Tris buffered saline, 0.1% BSA |
| 推荐的短期储存时间<br>1-2 weeks | 储存信息<br>Avoid freeze / thaw cycle |

本产品仅供科研使用，不用于临床诊断。