抗Cullin 2/CUL-2抗体

Anti-Cullin 2/CUL-2 antibody (RB9A37019288

货号：RB9A37019288

产品描述

中文名称
Anti-Cullin 2/CUL-2抗体（RB9A37019288）

英文名称
Anti-Cullin 2/CUL-2 antibody (RB9A37019288)

别名
Cullin-2CUL-2CUL2

靶点符号
CUL2

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseHuman

应用
IHC-P

免疫原
Synthetic Peptide within Human CUL2 aa 150-200. The exact immunogen used to generate this antibody is proprietary information.; Q13617

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chimpanzee	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cynomolgus monkey	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Gorilla	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Horse	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100 - 1/500	Epitope exposure is recommended. Epitope exposure with citrate buffer will enhance staining.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Monkey	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/100 - 1/500	Epitope exposure is recommended. Epitope exposure with citrate buffer will enhance staining.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Orangutan	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
RB9A37019288 was affinity purified using an epitope specific to Cullin 2/CUL-2 immobilized on solid support.

存储溶液
pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: Tris buffered saline, 0.1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。