抗KRT6C抗体

Anti-KRT6C antibody

货号：RB9A37019663

产品描述

中文名称
Anti-KRT6C 抗体

英文名称
Anti-KRT6C antibody

别名
KRT6EKRT6CCytokeratin-6CCytokeratin-6EKeratin K6hKeratin-6CType-II keratin Kb12CK-6CCK-6EK6C

靶点符号
KRT6C

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseRatHuman

应用
IHC-FrWBFlow Cyt (Intra)ICC/IFIHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Cow	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Cow	预测反应	-	-
Immunohistochemistry (Frozen sections)	IHCFr	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	1/100 - 1/200	Incubate with RB9A37019663 for 30 minutes at 4° C.
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/50	-
Immunohistochemistry (Frozen sections)	IHCFr	Human	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/200	Boil tissue section in 10mM citrate, pH 6.0 for 10 min followed by cooling at room temperature for 20 min. Incubate with RB9A37019663 for 10 minutes at room temperature.
Western blot	WB	Human	已验证	1/25	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-
Immunohistochemistry (Frozen sections)	IHCFr	Mouse	已验证	1/200	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/200	Boil tissue section in 10mM citrate, pH 6.0 for 10 min followed by cooling at room temperature for 20 min. Incubate with RB9A37019663 for 10 minutes at room temperature.
Western blot	WB	Mouse	保证反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Frozen sections)	IHCFr	Rat	已验证	1/200	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/200	Boil tissue section in 10mM citrate, pH 6.0 for 10 min followed by cooling at room temperature for 20 min. Incubate with RB9A37019663 for 10 minutes at room temperature.
Western blot	WB	Rat	保证反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A/G

纯化说明
Purified from TCS by protein A/G.

存储溶液
pH: 7.6 Preservative: 0.1% Sodium azide Constituents: PBS, 1% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。