肌节α辅肌动蛋白抗体

Anti-Sarcomeric Alpha Actinin antibody (RB9A37056973

货号：RB9A37056973

产品描述

中文名称

Anti-Sarcomeric Alpha Actinin 抗体（RB9A37056973）

英文名称

Anti-Sarcomeric Alpha Actinin antibody (RB9A37056973)

别名

Alpha-actinin-2 Alpha-actinin skeletal muscle isoform 2 F-actin cross-linking protein ACTN2

靶点符号

ACTN2

产品类型

一抗

关键信息

宿主种属

Rabbit

克隆

Monoclonal

亚型

IgG

不含载体蛋白

No

反应种属

Mouse Rat Human

应用

IP IHC-P WB

免疫原

The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Human	不推荐	1/20	RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100 - 1/250	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	已验证	1/20 - 1/40	-
Western blot	WB	Human	已验证	1/1000 - 1/10000	-
Flow Cytometry	FlowCyt	Mouse	不推荐	1/20	RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/100 - 1/250	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunoprecipitation	IP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	1/1000 - 1/10000	-
Flow Cytometry	FlowCyt	Rat	不推荐	1/20	RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Immunoprecipitation	IP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	1/1000 - 1/10000	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液

pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间

1-2 weeks

储存信息

Stable for 12 months at -20° C

本产品仅供科研使用，不用于临床诊断。