雷帕霉素不敏感伴侣蛋白抗体

Anti-RICTOR antibody [Rabbit]

货号：RB9A37057286

产品描述

中文名称
Anti-RICTOR抗体（RB9A37057286）

英文名称
Anti-RICTOR antibody [Rabbit]

别名
KIAA1999 RICTOR Rapamycin-insensitive companion of mTOR AVO3 homolog hAVO3

靶点符号
RICTOR

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Human

应用
IP IHC-P Flow Cyt WB

免疫原
Synthetic Peptide within Human RICTOR. The exact immunogen used to generate this antibody is proprietary information.; Q6R327

特异性
Initial tests for reactivity with mouse RICTOR from NIH3T3 cells suggest that higher amounts of lysate and less dilution of RB9A37057286 are required for brief exposure times.

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	备注	推荐稀释
Flow Cytometry	FlowCyt	Chimpanzee	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chimpanzee	预测反应	-	-
Immunoprecipitation	IP	Chimpanzee	预测反应	-	-
Western blot	WB	Chimpanzee	预测反应	-	-
Flow Cytometry	FlowCyt	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Immunoprecipitation	IP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Flow Cytometry	FlowCyt	Gorilla	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Gorilla	预测反应	-	-
Immunoprecipitation	IP	Gorilla	预测反应	-	-
Western blot	WB	Gorilla	预测反应	-	-
Flow Cytometry	FlowCyt	Human	保证反应	0.5 ug per 1 million cells in a 150 mcl reaction. RB9A37007601 - Rabbit polyclonal IgG, is suitable for use as an isotype control with this antibody.	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.	2 µg/mL
Immunoprecipitation	IP	Human	已验证	-	2-10 µg/mg of lysate
Western blot	WB	Human	已验证	-	1/2000 - 1/10000
Flow Cytometry	FlowCyt	Mouse	保证反应	0.5 ug per 1 million cells in a 150 mcl reaction. RB9A37007601 - Rabbit polyclonal IgG, is suitable for use as an isotype control with this antibody.	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	预测反应	-	-
Immunoprecipitation	IP	Mouse	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Western blot	WB	Mouse	预测反应	-	-
Flow Cytometry	FlowCyt	Orangutan	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Orangutan	预测反应	-	-
Immunoprecipitation	IP	Orangutan	预测反应	-	-
Western blot	WB	Orangutan	预测反应	-	-
Flow Cytometry	FlowCyt	Rhesus monkey	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rhesus monkey	预测反应	-	-
Immunoprecipitation	IP	Rhesus monkey	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Western blot	WB	Rhesus monkey	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

存储溶液
pH: 7 - 8 Preservative: 0.09% Sodium azide Constituents: Tris buffered saline, 0.1% BSA

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。