抗ABCA1抗体

Anti-ABCA1 antibody [Rabbit]

货号：RB9A37057645

产品描述

中文名称
Anti-ABCA1 抗体（RB9A37057645）

英文名称
Anti-ABCA1 antibody [Rabbit]

别名
ABC1 CERP ABCA1 Phospholipid-transporting ATPase ABCA1 ATP-binding cassette sub-family A member 1 ATP-binding cassette transporter 1 Cholesterol efflux regulatory protein ABC-1 ATP-binding cassette 1

靶点符号
ABCA1

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Human

应用
WB IHC-P

免疫原
Synthetic Peptide within Human ABCA1. The exact immunogen used to generate this antibody is proprietary information.; O95477

特异性
RB9A37057645 has previously been shown to work well in ICC/IF on HeLa cells. However recent batches of this antibody, do not work in this application. We would recommend RB9A37009190 for researchers wanting to detect ABCA1 in ICC/IF. For further information, please contact our Scientific Support Team.

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/500	-
Western blot	WB	Human	已验证	1/500 - 1/1000	Additional non-specific bands are seen at lower molecular weights, but do not interfere with the ABC1 signal. It is important not to boil the sample before loading onto the gel. Boiling can cause aggregation in large proteins, resulting in the proteins inability to enter into the gel.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	1/500 - 1/1000	Additional non-specific bands are seen at lower molecular weights, but do not interfere with the ABC1 signal. It is important not to boil the sample before loading onto the gel. Boiling can cause aggregation in large proteins, resulting in the proteins inability to enter into the gel.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

存储溶液

pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS

推荐的短期储存时间

1-2 weeks

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。