抗蛋白激酶A调节亚基II β抗体

Anti-PRKAR2B antibody (RB9A37057924

货号：RB9A37057924

产品描述

中文名称
重组Anti-PRKAR2B抗体

英文名称
Anti-PRKAR2B antibody (RB9A37057924)

别名
cAMP-dependent protein kinase type II-beta regulatory subunit PRKAR2B

靶点符号
cAMP-dependent

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
IP WB ICC/IF IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry	FlowCyt	Human	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/1500	For unpurified use at 1/100 - 1/250. Use of HRP conjugated or polymerized HRP secondary antibodies recommended. Stronger signals have been found using the polymerized HRP secondary. Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	已验证	1/30	-
Western blot	WB	Human	已验证	1/1000	For unpurified use at 1/25000 - 1/50000.
Flow Cytometry	FlowCyt	Mouse	不推荐	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	已验证	1/50	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/1500	For unpurified use at 1/100 - 1/250. Use of HRP conjugated or polymerized HRP secondary antibodies recommended. Stronger signals have been found using the polymerized HRP secondary. Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	保证反应	-	-
Western blot	WB	Mouse	保证反应	-	-
Flow Cytometry	FlowCyt	Rat	不推荐	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/1500	For unpurified use at 1/100 - 1/250. Use of HRP conjugated or polymerized HRP secondary antibodies recommended. Stronger signals have been found using the polymerized HRP secondary. Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Immunoprecipitation	IP	Rat	保证反应	-	-
Western blot	WB	Rat	保证反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。